United States Department of Agriculture
Animal and Plant Health Inspection Service

100141009190244 insp_id

Inspection Report

JUNGLE ADVENTURES INC

Customer ID: **3094**
Certificate: **58-C-1048**
Site: 001
JUNGLE ADVENTURES INC

26205 E COLONIAL DR

CHRISTMAS, FL 32709

Type: ROUTINE INSPECTION
Date: 10 April 2014

3.84

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

There is a small area in the roof above the primate dens where the plywood is wet, deteriorated, and has a hole due to rain seepage. This roof shall be repaired or replaced so that this wet, deteriorated, area does not get any larger; which can contribute to mold, mildew, and fungal growths. These types of growths can affect the air quality in this area, which can cause respiratory irritations or diseases to the primates when they are in their dens.

Correct by May 10, 2014

3.127 (d)

FACILITIES, OUTDOOR.

The perimeter fence located at the entrance of the facility has been changed and is now 7 feet high. The perimeter fence shall be at least 8 feet high for facilities that house dangerous mammals.

Correct by May 10, 2014

The inspection & exit interview was conducted with the Animal Care & Medical Manger and the Asst. Animal Care & Medical Manager.

Prepared By: [redacted]

ROBERT BRANDES, D V M USDA, APHIS, Animal Care

Date: 10 April 2014

Title: VETERINARY MEDICAL OFFICER Inspector 2002

Received By: [redacted]

Date: 10 April 2014

Title:

Inspection Report Explanation: http://www.aphis.usda.gov/animal_welfare/downloads/IR_Explanation.pdf